

The new Polo 1.0 BMT		48 kW (65 PS)
Engine, electrics		
Type of engine		3-cyl. petrol engine
Effective displacement	cm ³	999
Valves per cylinder		4
Injection / Charge		Multi Point Injection
Power output		48 (65) kW (PS) 5,100 - 6,100 at rpm
Max. torque	Nm at rpm	95 / 3,000 - 4,300
Driving performance data		
Acceleration 0 - 80/100 km/h	s	10 / 15.5
Acceleration 80 - 120 km/h, 4th/5th gear	s	17.5 / 23
Top speed	km/h	164
Fuel consumption		
Fuel type		Premium min. 95 RON
Urban	l/100km	6 - 5.9
Extra-urban	l/100km	4.1
Combined cycle	l/100km	4.8 - 4.7
CO2 emissions, combined	g/km	110 - 108
NOx	mg/km	22.2
Non-methane hydrocarbons (NMHC)	mg/km	32.1
Efficiency label		B
Exhaust emissions classification		Euro 6 W
Power transmission		
Gearbox		Five-speed manual gearbox
Exterior dimensions		
Number of doors		4
Length	mm	4,053 - 4,169
Width	mm	1,751
Height to	mm	1,461
Height with boot lid open	mm	1,990
Wheelbase	mm	2,564
Track, front min.	mm	1,499
Track, front max.	mm	1,525
Track, rear min.	mm	1,479
Track, rear max.	mm	1,505
Turning circle	m	10.6
Interior dimensions		
Number of seats		5
Head area: 1st seat row / 2nd seat row / 3rd seat row	mm	1,019 / 964
Interior width: 1st seat row / 2nd seat row / 3rd seat row	mm	1,446 / 1,425 /
Luggage compartment		
Length, rear seat raised/folded down	mm	705 / 1,380
Width between wheel housings	mm	1,002

Luggage volume	l	351 - 1,125
Weights		
Kerb weight (EU, incl. 75 kg driver)	kg	1,105
Permitted gross weight	kg	1,530
Payload from / to	kg	428 - 524
Permitted axle load, front/rear	kg	830 / 750
Allowable trailer weight up to 12% / 8% grade, braked	kg	800 / 1,000
Allowable trailer weight, unbraked	kg	550
Permitted drawbar weight/roof load	kg	50 / 75
Capacities		
Fuel tank	l	40

The new Polo 1.0 BMT		55 kW (75 PS)
Engine, electrics		
Type of engine		3-cyl. petrol engine
Effective displacement	cm ³	999
Valves per cylinder		4
Injection / Charge		Multi Point Injection
Power output		55 (75) kW (PS) - 6,200 at rpm
Max. torque	Nm at rpm	95 / 3,000 - 4,300
Driving performance data		
Acceleration 0 - 80/100 km/h	s	9.5 / 14.9
Acceleration 80 - 120 km/h, 4th/5th gear	s	17.5 / 23
Top speed	km/h	170
Fuel consumption		
Fuel type		Premium min. 95 RON
Urban	l/100km	6 - 5.9
Extra-urban	l/100km	4.1
Combined cycle	l/100km	4.8 - 4.7
CO2 emissions, combined	g/km	110 - 108
NOx	mg/km	22.2
Particulates	mg/km	
Non-methane hydrocarbons (NMHC)	mg/km	32.1
Efficiency label		B
Exhaust emissions classification		Euro 6 W
Power transmission		
Gearbox		Five-speed manual gearbox
Exterior dimensions		
Number of doors		4
Length	mm	4,053 - 4,169
Width	mm	1,751
Height to	mm	1,461
Height with boot lid open	mm	1,990
Wheelbase	mm	2,564
Track, front min.	mm	1,499
Track, front max.	mm	1,525
Track, rear min.	mm	1,479
Track, rear max.	mm	1,505
Turning circle	m	10.6
Interior dimensions		
Number of seats		5
Head area: 1st seat row / 2nd seat row / 3rd seat row	mm	1,019 / 964
Interior width: 1st seat row / 2nd seat row / 3rd seat row	mm	1,446 / 1,425 /
Luggage compartment		
Length, rear seat raised/folded down	mm	705 / 1,380

Width between wheel housings	mm	1,002
Luggage volume	l	351 - 1,125
Weights		
Kerb weight (EU, incl. 75 kg driver)	kg	1,105
Permitted gross weight	kg	1,530
Payload from / to	kg	428 - 524
Permitted axle load, front/rear	kg	830 / 750
Allowable trailer weight up to 12% / 8% grade, braked	kg	800 / 1,000
Allowable trailer weight, unbraked	kg	550
Permitted drawbar weight/roof load	kg	50 / 75
Capacities		
Fuel tank	l	40

The new Polo 1.0 TSI BMT		70 kW (95 PS)
Engine, electrics		
Type of engine		3-cyl. petrol engine TSI BMT
Effective displacement	cm ³	999
Valves per cylinder		4
Injection / Charge		Direct injection / Turbocharger
Power output		70 (95) kW (PS) 5,000 - 5,500 at rpm
Max. torque	Nm at rpm	175 / 2,000 - 3,500
Driving performance data		
Acceleration 0 - 80/100 km/h	s	7.2 / 10.8
Acceleration 80 - 120 km/h, 4th/5th gear	s	11 / 14.5
Top speed	km/h	187
Fuel consumption		
Fuel type		Premium min. 95 RON
Urban	l/100km	5.6 - 5.5
Extra-urban	l/100km	3.9 - 3.8
Combined cycle	l/100km	4.5 - 4.4
CO2 emissions, combined	g/km	103 - 101
NOx	mg/km	28.1
Particulates	mg/km	0.1900
Non-methane hydrocarbons (NMHC)	mg/km	35.7
Efficiency label		B
Exhaust emissions classification		Euro 6 W
Power transmission		
Gearbox		Five-speed manual gearbox
Exterior dimensions		
Number of doors		4
Length	mm	4,053 - 4,169
Width	mm	1,751
Height to	mm	1,461
Height with boot lid open	mm	1,990
Wheelbase	mm	2,564
Track, front min.	mm	1,499
Track, front max.	mm	1,525
Track, rear min.	mm	1,479
Track, rear max.	mm	1,505
Turning circle	m	10.6
Interior dimensions		
Number of seats		5
Head area: 1st seat row / 2nd seat row / 3rd seat row	mm	1,019 / 964
Interior width: 1st seat row / 2nd seat row / 3rd seat row	mm	1,446 / 1,425 /
Luggage compartment		
Length, rear seat raised/folded down	mm	705 / 1,380

Width between wheel housings	mm	1,002
Luggage volume	l	351 - 1,125
Weights		
Kerb weight (EU, incl. 75 kg driver)	kg	1,145
Permitted gross weight	kg	1,610
Payload from / to	kg	423 - 521
Permitted axle load, front/rear	kg	860 / 800
Allowable trailer weight up to 12% / 8% grade, braked	kg	1,000 / 1,100
Allowable trailer weight, unbraked	kg	570
Permitted drawbar weight/roof load	kg	50 / 75
Capacities		
Fuel tank	l	40

The new Polo 1.0 TSI BMT		70 kW (95 PS)
Engine, electrics		
Type of engine		3-cyl. petrol engine TSI BMT
Effective displacement	cm ³	999
Valves per cylinder		4
Injection / Charge		Direct injection / Turbocharger
Power output		70 (95) kW (PS) 5,000 - 5,500 at rpm
Max. torque	Nm at rpm	175 / 2,000 - 3,500
Driving performance data		
Acceleration 0 - 80/100 km/h	s	7.2 / 10.8
Top speed	km/h	187
Fuel consumption		
Fuel type		Premium min. 95 RON
Urban	l/100km	5.8 - 5.7
Extra-urban	l/100km	4.1 - 4
Combined cycle	l/100km	4.7 - 4.6
CO2 emissions, combined	g/km	107 - 105
NOx	mg/km	36.5
Particulates	mg/km	0.3900
Non-methane hydrocarbons (NMHC)	mg/km	47
Efficiency label		B
Exhaust emissions classification		Euro 6 W
Power transmission		
Gearbox		Seven-speed dual-clutch gearbox (DSG)
Exterior dimensions		
Number of doors		4
Length	mm	4,053 - 4,169
Width	mm	1,751
Height to	mm	1,461
Height with boot lid open	mm	1,990
Wheelbase	mm	2,564
Track, front min.	mm	1,499
Track, front max.	mm	1,525
Track, rear min.	mm	1,479
Track, rear max.	mm	1,505
Turning circle	m	10.6
Interior dimensions		
Number of seats		5
Head area: 1st seat row / 2nd seat row / 3rd seat row	mm	1,019 / 964
Interior width: 1st seat row / 2nd seat row / 3rd seat row	mm	1,446 / 1,425 /
Luggage compartment		
Length, rear seat raised/folded down	mm	705 / 1,380
Width between wheel housings	mm	1,002

Luggage volume	l	351 - 1,125
Weights		
Kerb weight (EU, incl. 75 kg driver)	kg	1,180
Permitted gross weight	kg	1,650
Payload from / to	kg	423 - 522
Permitted axle load, front/rear	kg	900 / 800
Allowable trailer weight up to 12% / 8% grade, braked	kg	1,000 / 1,100
Allowable trailer weight, unbraked	kg	590
Permitted drawbar weight/roof load	kg	50 / 75
Capacities		
Fuel tank	l	40